



Liberia IDSR Epidemiology Bulletin

2025 Epi-week 13 (March 24 – 30, 2025)

Country Population: 5,737,021


Volume 22 Issue 13

March 24 – 30, 2025

Data Source: CSOs from 15 Counties and Laboratory

Highlights

Figure 1. Public Health Events Reported



Keynotes and Events of Public Health Significance

- ♦ A total of 323 events of public health importance, including 37 deaths reported
- ♦ Completeness and Timeliness of health facility reports were 99% and 99%, respectively
- ♦ Ongoing Lassa fever outbreak in two counties
- ♦ Ongoing Measles outbreak in six counties
- ♦ Ongoing Mpox outbreak in four counties

*Adverse Event Following Immunization

Reporting Coverage

Table 1. Health Facility Weekly IDSR Reporting Coverage, Liberia, Epi-week 13, 2025

County	Expected Reports from Health Facility	Reports Received	Received on Time	Completeness (%)	Timeliness (%)
Bomi	29	29	29	100	100
Bong	64	64	64	100	100
Gbarpolu	18	18	18	100	100
Grand Bassa	38	38	38	100	100
Grand Cape Mount	36	36	36	100	100
Grand Gedeh	24	24	24	100	100
Grand Kru	25	25	25	100	100
Lofa	61	61	61	100	100
Margibi	64	63	63	99	100
Maryland	28	28	28	100	100
Montserrado	371	371	367	100	99
Nimba	102	102	102	100	100
Rivercess	21	21	21	100	100
River Gee	21	21	21	100	100
Sinoe	41	41	41	100	100
Liberia	943	942	938	99	99

942(99%)
Health facilities report IDSR data

98(100%)
Health districts reported IDSR data

938(99%)
Health facilities reported timely IDSR data

Legend:

≥80

<80

- ♦ The national target for weekly IDSR reporting is 80%. All counties reported on time. Health facility timeliness is monitored at the health district level.

Vaccine-Preventable Diseases

Measles

- ☞ Thirty-eight (38) suspected cases reported from Montserrado (11), Nimba (11), Grand Gedeh (5), Grand Kru (4), River Gee (2), Grand Cape Mount (2), Bong (1), Maryland (1), and Sinoe (1) Counties
 - Twenty-five (25) specimens were collected, and pending testing
 - Fifty percent (19/38) of the suspected cases were vaccinated for measles (*see Table 2*)
- ☞ Cumulatively, 480 suspected cases have been reported since Epi-week 1.
 - Proportion of suspected cases with sample collected 53% (255/480)

Table 2. Distribution and Vaccination Status of Measles Cases, Liberia, Epi-week 13, 2025

County	Reported cases	Number of Doses Received			
		Vaccinated	One Dose	Two Doses	Doses Not Indicated
Bong	1	0	0	0	0
Grand Cape Mount	2	2	2	0	0
Grand Gedeh	5	1	0	1	0
Grand Kru	4	1	0	0	1
Maryland	1	1	1	0	0
Montserrado	11	8	3	5	0
Nimba	11	4	2	2	0
River Gee	2	2	2	0	0
Sinoe	1	0	0	0	0
Total	38	19	10	8	1

Outbreak Section (January 6, 2022 – March 30, 2025)

- ☞ Nineteen (19) new clinically confirmed cases reported from Nimba (11), Grand Kru (4), River Gee (2), Maryland (1), and Bong (1) Counties
- ☞ A total of 13,644 confirmed cases including 95 deaths have been reported
- ☞ Cumulative Case Fatality Rate (CFR): 0.7% (95/13,644)
- ☞ Six counties currently in outbreak (Nimba, Bong, Grand Kru, Grand Bassa, River Gee, and Maryland)

Table 3. Measles Outbreak by County and Case Status, Liberia December 13, 2021 – March 30, 2025

County	Total Cases	Active	Recovery	Deaths	No. of Districts
Montserrado	5,373	0	5,304	69	0/7
Nimba	1,710	11	1,695	4	6/11
Grand Bassa	941	0	934	7	1/8
Margibi	803	0	802	1	0/4
Bong	595	1	591	3	1/9
Maryland	1,327	1	1326	0	1/6
Lofa	292	0	292	0	0/6
Grand Kru	1,115	4	1,109	2	1/5
Grand Cape Mount	187	0	184	3	0/5
Bomi	148	0	143	5	0/4
Rivercess	84	0	83	1	0/6
Gbarpolu	64	0	64	0	0/5
Grand Gedeh	604	0	604	0	0/6
River Gee	156	2	154	0	1/6
Sinoe	247	0	247	0	0/10
Total	13,646	19	13,532	95	11/98

PUBLIC HEALTH ACTION

I. Coordination

- The response has been led by the County Health Teams with technical support from the NPHIL, MoH, and partners.

II. Epidemiological Surveillance

- Active case search ongoing in the outbreak counties

III. Case management

- The Potupo DHT supported the Joyproken health facility to treat children with Vit. A, calamine lotion, septrin, pcm, and tetracycline eye ointment in Jaytoken Community, River Gee County under home based care

IV. Immunization

- Routine immunization ongoing across the Country
- A two-day mop-up campaign was conducted in affected and surrounding communities in Camp-wood district, Grand Bassa County

V. Laboratory

- Specimens were collected from Potupo, Buu-Yao, and Buah districts for testing

VI. Risk Communication & Community Engagement

- Awareness and health education on the prevention and control of measles ongoing in affected counties




Figure 2. Measles outbreak by County and Case Status, Liberia, December 13, 2021 – March 30, 2025

Neonatal Tetanus

- ☞ Zero suspected cases reported
- ☞ Cumulatively, 3 cases have been reported since Epi-week 1.

Acute Flaccid Paralysis (AFP)

- Three (3) cases were reported from Montserrado (2) and Rivercess (1) Counties
 - Three specimens were collected and shipped
- Cumulatively, 18 cases have been reported since Epi-week 1.
 - Ten (10) tested negative, 1 NPENT, 1 rejected, and 6 pending testing
- As of week 13, the annualized non-polio AFP rate is at **2.8 per 100,000 population** under 15 years of age
- Stool adequacy rate is 100% as of week 13, 2025

Table 4. Non-Polio AFP Rate 2/100,000 < 15 years by Reporting County, Liberia, Epi-week 1 – 13, 2025

County	< 15 years pop	# of AFP Cases Reported	# of Cases with Lab Result	Non-Polio AFP Rate	# of cases <14 days specimen collected	% of stool <14days	# of NPENTs	% of NPENT
Bomi	66515	0	0	0.0	0	0%	0	0%
Bong	225918	2	1	3.5	2	100%	0	0%
Gbarpolu	44507	1	1	9.0	1	100%	0	0%
Grand Bassa	140249	0	0	0.0	0	0%	0	0%
Grand Cape Mount	86679	1	1	4.6	1	100%	0	0%
Grand Gedeh	109687	0	0	0.0	0	0%	0	0%
Grand Kru	56311	0	0	0.0	0	0%	0	0%
Lofa	175438	3	2	6.8	3	100%	0	0%
Margibi	148644	2	1	5.4	2	100%	0	0%
Maryland	81693	0	0	0.0	0	0%	0	0%
Montserrado	969569	5	2	2.1	5	100%	0	0%
Nimba	297830	0	0	0.0	0	0%	0	0%
Rivercess	42988	4	3	37.2	4	100%	1	25%
River Gee	64196	0	0	0.0	0	0%	0	0%
Sinoe	69556	0	0	0.0	0	0%	0	0%
Liberia	2584117	18	11	2.8	18	100%	1	6%
Non-Polio AFP Rate	<2			<80%	Non-Polio Enterovirus	<10%		Silent
	≥2			≥80%		≥10%		

Yellow Fever

- Zero suspected cases were reported
- Cumulatively, 18 suspected cases have been reported since Epi-week 1.
 - Proportion of suspected cases with samples collected 18/18 (100%)
 - Proportion of suspected cases with sample tested 16/18 (78%)
 - One lab-confirmed (positive) and 15 not a case (negative)

Mpox

- Seven (7) suspected cases were reported from Margibi (3), Nimba (2), Bomi (1), and River Gee (1) Counties
 - Specimens were collected and tested negative
- Cumulatively, 174 suspected cases have been reported, 164 samples collected with 153 tested: 7 positive and 146 negative

Outbreak Section (January 1, 2024 – March 30, 2025)

- No new confirmed case reported**
- All contacts completed 21 days of follow-up
- A total of 70 confirmed cases were reported, with no deaths recorded
- Four (4) counties (Grand Bassa, Bong, Montserrado, and Rivercess) are in the countdown.




Figure 3. Distribution of Lab-confirmed Mpox cases by Health District, Liberia, January 1, 2024 – March 30, 2025




Figure 4. Epi-curve of Confirmed Mpox cases, Liberia, January 1, 2024 – March 30, 2025

PUBLIC HEALTH RESPONSE

I. Coordination

- Conduct regular IMS meetings at the national level to direct response efforts
- Production and dissemination of Sitreps

II. Epidemiological Surveillance

- Active media scanning and community case finding continue through the EIOS platform
- Continue to follow up with response counties to obtain updates on the status of the Mpox outbreak
- All contacts completed 21 days of follow-up

III. Case Management

- No confirmed case currently in isolation

IV. Laboratory

- Sequencing results showed Monkeypox virus Clade IIa and Clade IIb
- The National Public Health Reference Laboratory continues the testing of Mpox samples

V. Risk Communication & Community Engagement

- Ongoing community engagement and awareness creation via a radio station in partnership between the RCCE team and affected County Health teams

NEXT STEPS

- Continue active case search in the affected communities
- Follow-up contacts that have been line listed

Dengue

- Zero suspected cases were reported
- Cumulatively, one (1) suspected cases were reported

Influenza-Like Illnesses


Influenza

- One hundred eleven (111) cases were reported from Montserrado (60), Nimba (36), Grand Bassa (11), and Bong (4) Counties
 - Specimens were collected, 76 tested negative, and 35 pending testing
- Cumulatively, 237 suspected cases reported since Epi-week 1.
 - Two hundred thirty-seven (237) specimens were collected, 1 tested positive, 188 negative, 2 rejected, and 46 pending testing

Viral Haemorrhagic Fever

Lassa fever

- Three (3) suspected cases were reported from Montserrado (1), Bong (1), and Lofa (1) Counties
 - Two specimens were collected, 1 tested positive and 1 negative
- Cumulatively, 45 suspected cases have been reported
 - Proportion of suspected cases with sample collected (44/45) 98%.
 - Proportion of suspected cases with sample tested (38/44) 86%
 - Ten positive and 27 negative



- ☞ **One (1) confirmed death case reported from Montserrado County**
- ☞ Nineteen (19) contacts line listed
- ☞ A total of 187 confirmed cases, including 57 deaths, were reported
- ☞ Cumulative Case Fatality Rate (CFR): 30% (57/187)
- ☞ Two counties are currently in the outbreak (Grand Bassa County and Montserrado)




Figure 6. Epi-curve of Confirmed Lassa fever cases, Liberia, January 6, 2022 – March 30, 2025




Figure 7. Geospatial distribution of outbreak district with number of confirmed Lassa fever cases, Liberia, January 6, 2022 – March 30, 2025

Table 5: Summary of Lassa fever Outbreak, Liberia, January 6, 2022 – March 30, 2025

County	Outbreak Districts	Outbreak Start Date	Total suspected	Total confirmed	HCWs confirmed	Total Deaths	Deaths in HCWs	CFR %	Total Contacts	# HCW contacts	Contacts became cases	Contacts under follow up	Contacts completed	Days in countdown	Outbreak Status
Montserrado	Bushrod	13-Feb-23	17	1	0	0	0	0%	29	21	0	0	29	Completed	Ended
	Central Monrovia	27-Nov-23	1	2	0	1	0	50%	49	0	0	0	49	Completed	Ended
	Central Monrovia	3-Mar-23	38	2	0	1	0	50%	28	27	0	0	28	Completed	Ended
	Bushrod	30-Apr-24	2	1	0	0	0	0%	14	6	0	0	14	Completed	Ended
	Central Monrovia	28-Mar-25	1	1	0	1	0	100%	19	11	0	19	0	Active	Ongoing
Bong	Suakoko	21-Apr-23	192	54	18	13	2	24%	496	114	6	0	417	Completed	Ended
	Jorquelleh	15-Oct-23	14	6	3	1	1	17%	121	86	3	0	169	Completed	Ended
	Kokoyah	6-Jun-24	3	1	0	0	0	0%	8	0	0	0	8	Completed	Ended
	Suakoko	29-Jul-24	11	5	1	0	0	0%	37	14	0	0	37	Completed	Ended
	Suakoko	23-Feb-24	31	3	0	0	0	0%	29	14	0	0	29	Completed	Ended
	Salala	8-Mar-24	2	2	0	1	0	50%	21	0	0	0	21	Completed	Ended
	Jorquelleh	11-Apr-24	3	2	0	1	0	0%	41	30	0	0	41	Completed	Ended
Grand Bassa	Suakoko	19-Nov-24	3	2	0	1	0	50%	8	5	0	0	8	Completed	Ended
	District 3A&B	21-Aug-23	87	44	0	10	0	23%	177	40	40	0	159	Completed	Ended
	Buchanan	11-Aug-23	2	1	0	1	0	100%	4	2	0	0	4	Completed	Ended
	District 3A&B	30-Apr-24	7	3	0	1	0	33%	12	3	0	0	12	Completed	Ended
	District 3A&B	3-Sep-24	7	6	0	1	0	17%	27	10	0	0	27	Completed	Ended
Nimba	District 3A&B	20-Dec-24	8	8	0	0	0	0%	13	2	0	10	13	Active	Ongoing
	Saclepea-Mah	21-Nov-23	4	2	0	1	0	50%	5	0	0	0	5	Completed	Ended
	Sanniquellie-Mah	6-Feb-23	43	15	0	9	0	60%	43	35	8	0	43	Completed	Ended
	Tappita	29-Jul-24	5	2	0	1	0	50%	27	24	0	0	27	Completed	Ended
	Tappita	20-Nov-23	12	5	0	3	0	60%	88	39	4	0	77	Completed	Ended
	Bain-Garr	1-Jun-23	25	6	0	3	0	50%	61	25	0	0	31	Completed	Ended
	Bain-Garr	15-Apr-24	5	2	0	1	0	50%	25	7	0	0	25	Completed	Ended
	Bain-Garr	18-Jul-24	20	10	0	5	0	50%	173	98	1	0	173	Completed	Ended
River Gee	Putupo	25-Nov-22	2	1	0	1	0	100%	14	0	0	0	14	Completed	Ended
Total			545	187	22	57	3	30%	1569	613	62	29	1460		

Legend: Outbreaks in countdown stage in reporting districts

Active/ ongoing outbreaks not in countdown stage with active response interventions in reporting districts

PUBLIC HEALTH RESPONSE

I. Coordination

- The National Public Health Institute of Liberia (NPHIL) and the Ministry of Health (MoH) are providing technical support to the affected counties with support from partners

II. Epidemiological Surveillance

- Active case search ongoing in affected communities
- Total of 29 contacts line listed and undergoing 21-day follow-up
- Two counties (Grand Bassa and Montserrado) are currently in outbreak
- Weekly sit-reps developed and disseminated to stakeholders

III. Risk Communication and Community Engagement

- Risk communication and community engagement are being conducted in the affected communities

IV. Case management

- Ribavirin distributed to affected counties
- There is one confirmed case currently in isolation at LAC Hospital (Grand Bassa County)

V. Dead Body Management

- A total of 57 deaths have been recorded among confirmed cases
- Safe and dignified burials conducted for the deceased cases

VI. Laboratory

- The National Public Health Reference Laboratory continues testing of Lassa fever samples
- A total of 187 Lassa fever cases have been confirmed since this outbreak

Challenges

- There is currently limited ribavirin supply in the country
- Limited logistics (gasoline, communication cards, fuel, etc.) to support active case-finding
- Lack of support for contact training and active case search/investigation in affected counties

Diarrheal Diseases

Acute Bloody Diarrhoea (Shigellosis)

- ☞ Twenty-one (21) suspected cases were reported from Lofa (5), Sinoe (5), River Gee (4), Grand Kru (3), Margibi (1), Maryland (1), Grand Gedeh (1), and Grand Cape Mount (1) Counties
 - Seventeen specimens were collected, 2 tested positive, 13 negative, and 6 pending testing
- ☞ Cumulatively, 136 suspected cases have been reported since Epi week 1.
 - Ninety-one (91) specimens were collected, 72 received at the lab, 60 tested negative, 6 positive, and 6 pending testing

Severe Acute Watery Diarrhoea (Cholera)

- Fourteen (14) suspected cases were reported from Lofa (3), Maryland (2), Sinoe (2), Nimba (2), River Gee (2), Grand Gedeh (1), Rivercess (1), and Bomi (1) Counties
 - Eleven specimens were collected, 9 tested negative, and 5 pending testing
- Cumulatively, 134 suspected cases have been reported since Epi week 1.
 - Sixty-nine (69) specimens were collected, 40 received at the lab, 33 tested negative, and 7 pending testing

Events of Public Health Importance

Maternal Mortality

- Six (6) deaths were reported from Montserrado (2), Grand Bassa (2), Margibi (1), and Grand Gedeh (1) Counties
- Primary causes of death were postpartum hemorrhage (3), eclampsia (2), and sepsis (1)
- Cumulatively, 49 deaths have been reported, of which 45/49 (92%) were reported from health facilities.
 - Proportion of deaths reviewed 32/49 (65%)

Neonatal Mortality

- Thirty (30) deaths were reported from Montserrado (16), Nimba (2), Grand Kru (2), Margibi (1), Gbarpolu (1), and Sinoe (1) Counties, including Gbarpolu (2), Lofa (2), Maryland (2), and Bong (1), accounting for perinatal death
- Primary causes of death were asphyxia (17), sepsis (8), and preterm (5)
- Cumulatively, 237 deaths have been reported since Epi-week 1.
 - Proportion of deaths reviewed 154/237 (65%)

Adverse Events Following Immunization (AEFI)/Adverse Drug Reaction (ADR)

- Eleven (11) events were reported from Sinoe (4), Montserrado (2), Maryland (2), Grand Gedeh (2), and Gbarpolu (1) Counties
- All reported cases were categorized as *non-serious*
- Related vaccines included Penta (8), Pneumo (1), and OPV (1)
- Cumulatively, 195 events have been reported since Epi-week 1.

Other Reportable Diseases

Animal bite (Human Exposure to Rabies)

- Seventy-eight (78) dog bite cases were reported from Montserrado (13), Nimba (10), Grand Kru (9), Lofa (7), Grand Bassa (7), Maryland (7), Margibi (5), Rivercess (4), Bomi (3), Sinoe (3), Bong (3), Grand Gedeh (2), Gbarpolu (2), Grand Cape Mount (2), and River Gee (1) Counties
 - Proportion of cases investigated is 44% (34/78)
 - PEP was administered to 3 persons in Bomi County
- Cumulatively, 930 cases have been reported since Epi-week 1, including 4 deaths




Figure 8. Geospatial distribution of Human Exposure to Animal Bites Cases by County, Liberia, Epi-week 1 - 13, 2025

Meningitis

- One (1) suspected case was reported from Nimba County
 - Specimen collected and tested negative
- Cumulatively, 8 suspected cases have been reported since Epi-week 1.
 - Proportion of specimen collected 6/8 (75%)
 - Proportion of specimens tested 6/6 (100%)

Border Surveillance Update

A total of 6,708 travellers were screened at eight (8) designated out of forty-five (45) official Points of Entry, with incoming travellers accounting for 50% (3,215/6,708) ([Table 5](#)).

Table 6. Cross-border activity at the POE for incoming and outgoing travelers, Liberia, Epi-week 13, 2025

Type of Ports	Point of Entry	Weekly Total	Arrival	Departure	Total travelers with YB	Yellow Book Damage	Card Replaced	Travelers Vaccinated against YF & Issued book	Alerts detected / Verified
Airport	James S. Paynes	50	21	29	0	0	0	0	0
	Robert Int'l Airport	5086	2393	2693	5039	0	47	0	0
Seaport	Freeport of Monrovia	206	103	103	206	0	0	0	0
	Buchanan Port	176	88	88	176	0	0	0	0
Ground Crossing	Bo Water Side	521	253	268	504	0	16	10	0
	Ganta	96	60	36	54	0	0	0	0
	Yekepa	202	112	90	63	0	0	0	0
	Loguatu	371	185	186	358	0	0	0	0
Total		6,708	3,215	3,493	6,400	0	63	10	0

Note: Yellow book (YB) issue for both arrival and departure; Vaccination coverage for both arrival and departure

Public Health Measures

National level

- ▣ Ongoing Event-based Surveillance Guideline workshop at Cape Hotel in Monrovia, from 31 March – 4 April 2025
- ▣ Ongoing IMS meeting for coordination and resource mobilization
- ▣ Produced and disseminated situation reports (Lassa fever and Mpox, etc..)
- ▣ Ongoing reclassification of suspected cases (Lassa fever, Mpox, AFP, and Measles)
- ▣ Production and Dissemination of Weekly Epidemiological Bulletin



County-level

▣ Surveillance

- Ongoing active case search and investigation for Mpox in affected counties
- Production of situational reports
- Active case search ongoing in affected and surrounding communities
- Awareness of Mpox surveillance is ongoing across the 15 counties
- Maternal and newborn death review is ongoing in counties

▣ Case Management

- Administration of PEP
- Isolation, management, treatment, and active case search for Lassa fever and Measles cases are ongoing in affected counties

Appendix

Summary of Immediately Reportable Diseases, Conditions, and Events by County

COUNTIES			BOMI	BONG	GBARPOLU	GRAND BASSA	GRAND CAPE MOUNT	GRAND GEDEH	GRAND KRU	LOFA	MARGIBI	MARYLAND	MONTERRADO	NIMBA	RIVERCESS	RIVER GEE	SINOE	Total Weekly	Cumulative Reported	Cumulative Lab-confirmed
No. of Expected Health District			4	9	5	8	5	6	5	6	4	6	7	11	6	6	10	98		
No. of Health District Reported			4	9	5	8	5	6	5	6	4	6	7	11	6	6	10	98		
Vaccine Preventable Diseases	Acute Flaccid Paralysis (Suspected Polio)	A	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	3	18	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Measles	A	0	1	0	0	2	5	4	0	0	1	11	11	0	2	1	38	480	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Neonatal Tetanus	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Mpox	A	1	0	0	0	0	0	0	0	3	0	0	2	0	1	0	7	174	7
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Yellow fever	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18	1
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Viral Hemorrhagic Fever	Dengue fever	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ebola Virus Disease / Marburg Virus Disease	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Lassa fever	A	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	2	44	9
		D	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1
Influenza-Like Illnesses	COVID-19	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Influenza	A	0	4	0	11	0	0	0	0	0	0	60	36	0	0	0	111	237	1
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diarrheal Diseases	Acute Bloody Diarrhoea (Shigellosis)	A	0	0	0	0	1	1	3	5	1	1	0	0	0	4	5	21	136	6
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Severe Acute Watery Diarrhoea (Cholera)	A	1	0	0	0	0	1	0	3	0	2	0	2	1	2	2	14	134	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Events of Public Health Importance	Maternal Mortality	D	0	0	0	2	0	1	0	0	1	0	2	0	0	0	0	6	49	
	Neonatal Mortality	D	0	1	3	0	0	0	2	2	1	2	16	2	0	0	1	30	237	
	Adverse Events Following Immunization (AEFI)	A	0	0	1	0	0	2	0	0	0	2	2	0	0	0	4	11	195	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Unexplained Cluster of Health Events/Disease	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Reportable Diseases	Tuberculosis	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Human Exposure to Rabies (Suspected Human Rabies)	A	3	3	2	7	2	2	9	7	5	7	13	10	4	1	3	78	930	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Meningitis	A	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	8	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Unexplained Cluster of deaths	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Neglected Tropical Diseases	Buruli Ulcer	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Yaws	A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		D	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL			5	10	6	20	5	12	18	18	11	15	107	64	6	10	16	323	2665	25

D = Dead A = Alive

- ☞ **Completeness** refers to the proportion of expected weekly IDSR reports received (target: $\geq 80\%$)
- ☞ **Timeliness** refers to the proportion of expected weekly IDSR reports received by the next level on time (target: $\geq 80\%$). The time requirement for weekly IDSR reports:
 - Health facility - required on or before 5:00 pm every Saturday to the district level
 - Health district - required on or before 5:00 pm every Sunday to the county level
 - County - required on or before 12:00 noon every Monday to the national level
- ☞ **Non-polio AFP rate** is the proportion of non-polio AFP cases per 100,000 among the estimated population under 15 years of age in 2025 (annual target: $\geq 2/100,000$)
- ☞ **Non-measles febrile rash illness rate** refers to the proportion of negative measles cases per 100,000 population
- ☞ **Annualized maternal mortality rate** refers to the maternal mortality rate of a given period of less than one year, and it is the number of maternal deaths per 100,000 live births
- ☞ **Annualized neonatal mortality rate** refers to the neonatal mortality ratio of a given period of less than one year, and it is the number of neonatal deaths per 1,000 live births
- ☞ **Epi-linked** refers to any suspected case that has not had a specimen taken for serologic confirmation but is linked to a laboratory-confirmed case
- ☞ **Confirmed case** refers to a case whose specimen has tested positive or reactive upon laboratory testing or has been classified as confirmed by either epidemiologic linkage with a confirmed case or clinical compatibility with the disease or condition

Epidemiological bulletin published with support from WHO and CDC

For comments or questions, please contact

Ralph W. Jetoh, MD
Director
 Infectious Disease and Epidemiology Division
 National Public Health Institute of Liberia
 Republic of Liberia
 Email: ralphica2000@gmail.com
 Phone: +231.77.737.2655/ +231.88.652.6388
 Website: www.nphil.gov.lr

National Public Health Institute of Liberia (NPHIL)

MISSION

To prevent and control public health threats by promoting healthy outcomes and serving as a source of knowledge

VISION

A centre of excellence to create health outcomes for Liberians through a strong preventive health system and expertise

EDITORIAL TEAM

DIDE / NPHIL

A. N. Mianah
 J. S. Kokro
 M.G. Jeuronlon
 E. Dwalu
 A.B. Corvah
 S. K. Zayzay
 T. L. Hall
 S. L. Flomo
 M. S. Quiah
 J. O. Abel
 P. J. Thomas
 H. M. Sherman
 M.D. Vaye
 N. K. Dovillie
 A. Coker
 S. Nuwolo
 M. Gbeyeah
 E. Junius
 H. Howard-Bridges
 B.A. Adeyemi
 J.E.A. Saad

Ministry of Health
WHO Liberia Office
US CDC Liberia Office

Data sources

Data and information is provided by the fifteen County Surveillance Officers and National Public Health Reference Laboratory via regular weekly reports, telephone calls and email exchanges. Situations are evolving and dynamic therefore numbers stated are subject to change.